

Belle en het beest
La belle et la bête
Die schöne und das biest
Beauty and the beast
La bella y la bestia
La bella e la bestia

Leeftijd Age group Age / Alter Edad / Età 2 - 6

Page: 1/10



Technical drawing of a mechanical assembly, likely a pump or motor, showing dimensions in millimeters (mm). The drawing includes a top view and a side view. The top view shows a central circular component with a diameter of 1500 mm. The side view shows a cylindrical component with a diameter of 1500 mm. The overall dimensions are 7744 mm (width) and 5192 mm (height). The drawing also includes a table with dimensions and a note about the area of the assembly.

Dimension	Value (mm)
Overall Width	7744
Overall Height	5192
Top View Diameter	1500
Side View Diameter	1500
Area of Assembly	31,5m2

Note: The area of the assembly is 31,5m2.

AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 4.8m
Br: 2.2m
H: 2.9m

37m2





F0191A




Montagehandleiding - Notice de montage
 Assembling manual - Instrucciones para el montaje
 Montageanleitung - Istruzioni di installazione

Dat.: 13/12/2019


Page: 2/10






Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti

 F100A BASIC		1x F100-M-VeiligB-02	 641,1 x 176,9 x 143 1.66kg	4x M8x50	
				4x M10x50	
				2x M10x80	
				6x M8	
 F710A		1x F700-M-Balstrde-01	 795,2 x 600 x 313 4.59kg	2x M10	
				2x M8x55	
 F050		1x F300-As-Klimboog-01	 724 x 420 x 191 6.01kg	2x M8	
				2x M8	
 G310A		2x L2x-M-Anker-01	 685 x 90 x 40 1.52kg	8x White	 



F100A
BASIC







F710A


03




F050




04



F700-M-Balstrde-01
1x



05




640

500

300


444

F300-As-Klimboog-01




F300-As-Klimboog-01


1x





22



Lb-M-Anker-01
2x






M8x55
2x




M10x80
2x







G310A




07




08




09




①




②




③



10



11



12

Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.
Con tempo asciutto, tutti i bulloni e le viti devono essere avvitati nuovamente.

