

8030

SCHILDPAD
TORTUE
TURTLE
SCHILDKRÖTE
TORTUGA
TARTARUGA

Montagehandleiding
Notice de montage
Assembling manual
Montageanleitung
Instrucciones para el montaje
Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
2 - 6

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 2/03/2021


Rev.: -

Page: 1/5




50kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA




Groundlevel

VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA



AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L:0,9m
Br:0,4m
H:0,9m




Valdempend materiaal noodzakelijk
Sol amortissant obligatoire
Shock-absorbing underground required
Fallschutz erforderlich
Suelo amortiguante obligatorio
Materiale di fondo antitrauma obbligatorio

±7m2

Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti


1x 8030-As-Lijf-01



338 x 885 x 578

13.53kg

1x Lb-As-Veer-04



Ø 225 x 556

±17kg

11x M10




4x M10




7x M10



4x M10x30



4x M10x25



3x White




11x M10




3x

M10x90



1x Lb-M-Veervoet-02



480 x 480 x 5




±8,36Kg

4x Lb-M-Veervoet-03




208 x 203 x 40


±0,8Kg




1



2





- ⑤ Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.
Con tempo asciutto, tutti i bulloni e le viti devono essere avvitati nuovamente.