

G500 A/B

LEEUWENHOL (met inoxglijbaan)
LE ROI LION (toboggan inox)
LÖWENHÖHLE (Edelstahlrutsche)
LION'S DEN (Stainless steel slide)
GUARIDA DEL LEÓN
(tobogàn de acero inoxidable)
TANA DEI LEONI
(scivolo in acciaio inox)

Montagehandleiding Notice de montage Assembling manual Montageanleitung Instrucciones para el montaje Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
2 - 6

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 16/12/2019


Rev.: -

Page: 1/4




±130kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA





groundlevel





VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA





AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 3.1m
Br: 1.9m
H: 1.6m


Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti




6X M8 x 35		6X M8 x 35	
6X M8		6X M10	
6X White P10 schuin		5X M10	
6X T600-M-Veranker-01		5X M10	
		12X M8	
		5X M10	
		6X White P10 schuin	
		6X	




A.2



A.3



B



Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.
Con tempo asciutto, tutti i bulloni e le viti devono essere avvitate nuovamente.