

F100A

SNEEUWWITJE
BLANCHE-NEIGE
SCHNEEWITTCHEN
SNOW WHITE
BLANCANIEVES
BIANCANEVE

Montagehandleiding Notice de montage Assembling manual Montageanleitung Instrucciones para el montaje Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
2 - 6

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 12/12/2019


Rev.: -

Page: 1/8




220kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA



Groundlevel

VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA



AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 2.7m
Br: 2.2m
H: 2.9m


±26,5m²

F100A


Montagehandleiding - Notice de montage
Assembling manual - Instrucciones para el montaje
Montageanleitung - Istruzioni di installazione

Dat.: 12/12/2019


Page: 2/8



F100A
BASIC




2x F100-M-VeiligB-02




641,1 x 176,9 x 143


1.66kg



G490A



2x M8x70



8x M10x50


2x M8



8x White






1x F100-As-Klimwand-01




1500 x 593 x 113

15.92kg




①




F100A
BASIC




2





G490A



③






F100-As-Klimwand-01




M8x70
2x


F100-As-Klimwand-01
1x







4



5





10

Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.
Con tempo asciutto, tutti i bulloni e le viti devono essere avvitate nuovamente.

