

S336

WIEBELBRUG
PONT DE LA JUNGLE
WIGGLE WAGGLE
FREIE WACKELBRÜCKE
PUENTE BALANCEANTE
PONTE BARCOLLANTE

Montagehandleiding
Notice de montage
Assembling manual
Montageanleitung
Instrucciones para el montaje
Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
4 - 15

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 15/12/2021


Rev.: -

Page: 1/5




±140kg


VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA



VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA








AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 4,3m
Br: 0,8m
H: 0,5m





Samenvoegingszone avonturenpad
Zone de liaison parcours d'aventures
Verbindungsfeld survival parcours
Linking zone adventure path
Zona de conexión recorrido aventurero
Zona di allineamento percorso d'avventura

±28,0m²



Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti

1x  8x M10 ±45kg	4x S336-H-A-01  (1200xØ120)		
	2x S336-H-B-01  (800xØ120)		
	4x S336-H-C-01  (2000xØ100) ±11,5kg		
	4x S336-H-D-01  (500xØ40)		
4x  M12x230		12x  M12	16x  M12
4x  M12x210			
4x  M12x140		8x  M12	8x  4,5x60







①




②




3






4



5





- ⑨ Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.
Con tempo asciutto, tutti i bulloni e le viti devono essere avvitate nuovamente.