

F007A

Alice in wonderland
Alice au pays des merveilles
Alice in wonderland
Alice in wunderland
Alicia en en país de las
maravillas
Alice nel paese delle
meraviglie

Montagehandleiding Notice de montage Assembling manual Montageanleitung Instrucciones para el montaje Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
2 - 6

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 16/12/2019


Rev.: -

Page: 1/12




±330kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA


















VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA





AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 6.1m
Br: 3.5m
H: 2.4m

45.5m²

Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti


 F900A BASIC 	 G490A 	1x F300-As-Klimboog-01  724 x 420 x 191 6.01kg
 F300A BASIC 	 F030A 	1x F300-As-Touw-01  Ø16 x 627 0.57kg
 F600A 	 F040 	2x Lb-M-Anker-01  685 x 90 x 40 1.52kg
2x M8x55 	2x M8  2x M10	3x White  
2x M10x80 	2x M8  1x M10	2x Blue 
2x M10x50 	2x M8 	2x Blue 






640





4090







F300A

BASIC




$$(4x) \square 400$$
☐ 300





F600A





05




F030A




06




F040



07







F300-As-Klimboog-01






F300-As-Klimboog-01



1x




Lb-M-Anker-01
2x






08






F300-As-Touw-01
1x




09



10




1




0.062m³

2




0.062m³

3





0.031m³

4




0.051m³

11



72h

12



13

Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.

By dry and warm weather check the tightness of all bolts and screws.

Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.

Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.

Con tempo asciutto, tutti i bulloni e le viti devono essere avvitati nuovamente.

