

F901_B

De kleine zeemeermin
La petite sirène
Die kleine meerjungfrau
The little mermaid
La sirenita
La sirenetta

Montagehandleiding Notice de montage Assembling manual Montageanleitung Instrucciones para el montaje Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
2 - 6

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 19/10/2020


Rev.: -

Page: 1/8




131.86kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA










VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA





AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 3.0m
Br: 2.1m
H: 2.3m

±27m²


Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti

 F900B BASIC		1x F300-As-Klimboog-01	2x M8x55			
		 724 x 420 x 191 6.01kg	2x M10x80			
 G310B		2x F300-M-Voetijzer-01	2x M8			
		 147,5 x 88,5 x 60 0.41kg	2x M10			
					2x M8	
					2x M8	
			31x M10x95			




①



F900_B
BASIC




②




G310_B


②B → ③B ~~④B~~



3




F300-As-Klimboog-01




F300-As-Klimboog-01




1x




M8x55
2x




F300-M-Voetijzer-01
2x




M10x80
2x




4



5





6

Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.

By dry and warm weather check the tightness of all bolts and screws.

Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.

Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.

Con tempo asciutto, tutti i bulloni e le viti devono essere avvitati nuovamente.

