

G550A/B

KREEFTJE (met inoxglijbaan en rechte glijstang)
MINIGLISS (toboggan inox, mât droit)
KLEINER KREBS (Edelstahlrutsche und gerade Rutschstange)
BABY LOBSTER (stainless steel slide with straight fireman's pole)
CANGREJITO (tobogán de acero inoxidable + barra de bomberos)

Montagehandleiding Notice de montage Assembling manual Montageanleitung


Instrucciones para el montaje Istruzioni di installazione

Leeftijd:
Age:
Age group:
Alter:
Edad:
Età: 2-6

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu


Dat.: 9/10/2019

Page: 1/4




±100kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA





VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA



AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L : 2.3 m
H: 1.9 m
Br: 1.7 m

±21.5m²

Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti



M8 x 50
M8 x 60



4x

8x

M10 x 50



4x

M10 x 95




2x

M10



4x

4x



1,5 kg

4x



4x



M8 x 80

M8

M10



12x

2x


4x



M8





4x






4x

1x




1x


A



A



A




B

M8 x 50

4x

DETAIL 1
SCALE 1 : 10




M8 x 60

4x

M8x60

4x

M10x95
2x



Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.