

G600

DINOGLIJBAAN
SLIDE O'SAURUS
TOBOGGAN DINO
DINO-RUTSCHBAHN
TOBOGÀN DE DINOSAURIO
SCIVOLO A DINOSAURO

Montagehandleiding Notice de montage Assembling manual Montageanleitung Instrucciones para el montaje Istruzioni di installazione


Leeftijd
Age group
Age / Alter
Edad / Età
2 - 4

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 26/02/2020


Rev.: -

Page: 1/5




±60kg

VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA









VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA





AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 2,4m
H: 1,7m
Br: 0,5m


17m2

Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti


1x G600-As-Glijbaan-01  1865 x 388 x 994 ±25.58kg	2x G600-K-VeilgBoord-01  1607 x 800 x 19 ±7.36Kg
1x G600-As-Ladder-01  1500 x 388 x 95 ±10.84kg	2x G600-K-Kop-01  599 x 394 x 19 ±3.27Kg
	1x G600-M-VeilgBaar-01  379 x 25 ±0.22Kg
	4x M8x50 4x M8x80 1x M8x495 2x M8x455  
	14x M8 
	14x M8 
	2x White 
	14x White 




1




2




3




4







5




6



7



8



72h



9

Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.

By dry and warm weather check the tightness of all bolts and screws.

Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.

Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.

Con tempo asciutto, tutti i bulloni e le viti devono essere avvitati nuovamente.